


# Health Facts for you

## **Mediterranean Food Guide**

People who live in the area around the Mediterranean Sea have a lower risk of heart disease. Researchers have recently shown that following a Mediterranean diet decreases heart disease by 30% in people whom are at-risk.



This lifestyle is built upon daily exercise along with a lot of fruit, vegetables, plant-based proteins, whole grains, fish and smaller amounts of poultry and red meat. Fatty fish (salmon), olive oil, and nuts make this diet higher in fat than the classic "heart healthy diet." These fats are mostly unsaturated, and when consumed in place of saturated fat, are good for the heart. **The pyramid above and the chart on the next page describe the types of food and serving sizes in this heart healthy meal plan.** 

**Physical Activity-** The Mediterranean Diet pyramid is built upon daily physical activity and exercise. Aim for at least 150 minutes of moderate to vigorous exercise every week. Moderate-to-vigorous exercises include walking at a brisk pace, biking, or swimming, among other activities that elevate your heart rate. Always choose activities that you enjoy and that are safe, in order to be active throughout your life.

**Achieve and Maintain a Healthy Weight** – The high fat content of the Mediterranean is healthy for your heart, but may lead to increased energy intake and weight gain if you don't pay attention to how much you are eating. If you are trying to lose weight, choose the smaller number of servings from each food group, and try to make your serving sizes match those listed.

Food Groups and Servings	Serving Sizes
per day	
Non-starchy	One serving is ½ cup of cooked vegetables or 1 cup raw vegetables
Vegetables	Non-starchy vegetables include artichoke, asparagus, beets, broccoli, Brussels sprouts,
4-8 servings per day	cauliflower, cabbage, celery, carrots, tomatoes, eggplant, cucumber, onion, green and wax beans, zucchini, turnips, peppers, salad greens and mushrooms. (Potatoes, peas, and corn are starchy vegetables.)
	One serving is a small fresh fruit or ½ cup juice or ¼ cup dried fruit
Fruit	Fresh fruits are preferred because of the fiber and other nutrients they contain. Fruits canned
2-4 servings per day	in light syrup or their own juice, and frozen fruit with little or no added sugar are also good choices. Use only small amounts of fruit juice (6 oz per day or less), since even unsweetened juices can contain as much sugar as regular soda.
Legumes and	<b>Legumes:</b> One serving is ½ cup cooked kidney, black, garbanzo, pinto, soy (edamame), navy beans, split peas, or lentils, or ¼ cup fat free refried beans or baked beans
Nuts	<b>Nuts and Seeds:</b> One serving is 2 Tbsp. sunflower or sesame seeds, 1 Tbsp. peanut butter, 7-8 walnuts or pecans, 20 peanuts, or 12-15 almonds
1-3 servings	Aim for 1.2 somings of nuts or goods and 1.2 somings of legumes now day. I soumes are high
per day	Aim for 1-2 servings of nuts or seeds and 1-2 servings of legumes per day. Legumes are high in fiber, protein, and minerals. Nuts are high in unsaturated fat, and may increase HDL without increasing LDL cholesterol levels.
Low-fat	One serving is 1 cup of skim milk, non-fat yogurt, or 1oz of low-fat (part-skim) cheese
Dairy	Coloium fortified say milk say yearst and say shares can take the place of dainy products. If
Products	Calcium-fortified soy milk, soy yogurt, and soy cheese can take the place of dairy products. If servings of dairy or fortified soy are less than 2 per day, we advise a calcium and vitamin D
1-3 servings	supplement.
per day Fish or	One serving is 3 ounces (about the size of a deck of cards)
shellfish	One serving is 3 dunces (about the size of a deck of cards)
Silcinish	Cook fish by baking, sautéing, broiling, roasting, grilling, or poaching. Choose fatty fishes
2-3 times a	like salmon, herring, sardines, or mackerel often. The fat in fish is high in omega-3 fats, so it
week	has healthy effects on triglycerides and blood cells.
Poultry, if	One serving is 3 ounces (about the size of a deck of cards)
desired	Bake, sauté, stir fry, roast, or grill the poultry you eat, and eat it without the skin.
1-3 times a week	
WCCK	One serving is about 1 ounce of any of these:
Whole	1 slice whole wheat bread ½ cup potatoes, sweet potatoes, corn, or peas
Grains and	½ large whole grain bun 1 small whole grain roll
Starchy	6-inch whole wheat pita 6 whole grain crackers
Vegetables	½ cup cooked whole grain cereal (oatmeal, cracked wheat, quinoa) ½ cup cooked whole wheat pasta, brown rice, or barley
4-6 servings per day	Whole grains are high in fiber and have less effect on blood sugar and triglyceride levels than refined, processed grains like white bread and pasta. Whole grains also keep the stomach full longer, making it easier to control hunger.

<b>Food Groups</b>	Servings sizes, examples, and notes
	One serving is one of any of these:
	1 tsp. olive or canola oil 2 tsp light margarine
Healthy fats	1 Tbsp of regular salad dressing 2 Tbsp of light salad dressing, made with oil
	1 tsp regular mayonnaise 1/8 of an avocado
4-6 servings	5 olives (high salt – limit if you have high blood pressure)
per day	These fats are mostly unsaturated and contain little or no trans fat, so they will not increase
	LDL cholesterol levels. Remember that all fats are a concentrated source of calories, so
	keep the servings small, as recommended.
Alcohol	One drink equals one 12 ounce beer, 4 ounces of wine, or $1\frac{1}{2}$ ounces liquor (whiskey, vodka, brandy, etc).
No more than one drink for women or two drinks for men per day	People with high blood pressure or high triglycerides, or those taking certain medicines may be advised to avoid all alcohol. Ask your doctor to be sure.

## **Other Food Groups:**

- Eggs: Limit egg yolks to 4 per week. Egg whites can be eaten in unlimited amounts.
- **Sweets**: Eat sweets less often use fruit as your dessert.
- **Red Meat:** Lean red meats (beef, pork, lamb and veal) can be eaten 3-4 times per month.

### **References:**

- 1. Estruch, R, et al: Primary Prevention of Cardiovascular Disease with a Mediterranean Diet, *New England Journal of Medicine* 2013; 368: 1279-1290.
- 2. de Lorgeril, M, et al Lyon Diet Heart Study Lancet 1994; 343:1454-9.

### **Teach Back:**

What is the most important thing you learned from this handout?

What changes will you make in your diet/lifestyle, based on what you learned today?

If you are a UW Health patient and have more questions please contact UW Health at one of the phone numbers listed below. You can also visit our website at <a href="https://www.uwhealth.org/nutrition">www.uwhealth.org/nutrition</a>.

Nutrition clinics for UW Hospital and Clinics (UWHC) and American Family Children's Hospital (AFCH) can be reached at: (608) 890-5500.

Nutrition clinics for UW Medical Foundation (UWMF) can be reached at: (608) 287-2770.

Your health care team may have given you this information as part of your care. If so, please use it and call if you have any questions. If this information was not given to you as part of your care, please check with your doctor. This is not medical advice. This is not to be used for diagnosis or treatment of any medical condition. Because each person's health needs are different, you should talk with your doctor or others on your health care team when using this information. If you have an emergency, please call 911. Copyright© 1/2016 University of Wisconsin Hospitals and Clinics Authority. All rights reserved. Produced by the Clinical Nutrition Services Department and the Department of Nursing. HF#410